

Item#:

# MATERIAL SAFETY DATA SHEET

## **Section 1. Product and Company Identification**

Product Name: Gigi Wax Off DATE: 6/28/2007

Formula: 30-5496 REV. NEW

Manufacturer: American International Industries

0880: 0885

2220 Gaspar Ave

Los Angeles, CA 90040

Chem-Tel: (800) 255-3924

## Section 2. Composition / Information on Ingredients

#### **Hazardous Ingredients:**

Component CAS # % TOXICOLOGICAL DATA ACGIH-TLV OSHA-PEL

Mineral Spirits 8032-32-4 10.00% None Established

#### Section 3. Hazardous Identification

#### Potential Health Effects, Signs and Symptoms of Exposure:

Primary Route of Entry: Eyes or skin

Eye: Contact could possibly irritate the eye. Skin: Not considered to be hazardous.

Ingestion: Avoid.

Inhalation: Not considered to be hazardous.

#### Section 4. First Aid Measures

First Aid for Eye: Flush with water for 15 minutes, including under eyelids. Seek medical attention if discomfort


persists.

First Aid for Skin: Wash off affected areas with plenty of water, if discomfort or irritation occurs.

First Aid for Inhalation: Remove to fresh air. Seek medical attention if discomfort persists.

First Aid for Ingestion: Rinse mouth out with water. Only induce vomiting if directed by a physician. Never give

anything by mouth to an unconscious person. Seek prompt medical attention.



# MATERIAL SAFETY DATA SHEET

### Section 5. Fire Fighting Measures

Flash Point (°F/°C): 63°F /17.2°C (Tag Closed Cup)

Flammable Limit

(vol%):

Not available

Auto-ignition Temp.

(vol%)

None Established

Extinguisher Media: CO2, Foam, Dry Chemical, and Water Spray.

Fire Fighting Instructions:

Fire should be fought from a safe distance. Firefighters should wear full face, self-contained

breathing apparatus and full protective clothing.

Unusual Fire and Explosion Hazards:

Closed containers exposed to excessive heat may rupture. Do not crush or puncture containers.

#### Section 6. Accidental Release Measures

Spill or Release Procedures:

For small spills (e.g., < 1 gallon) wear appropriate personal equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows) and secure sources of ignition. Remove spilled material and place to appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state, and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse.

For spills > 1 gallon, deny entry to all unprotected individuals. Contain spill with inert material (e.g., sand or earth). Transfer product to containers for recovery or proper disposal. Remove contaminated clothing promptly and wash affected areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.

### Section 7. Handling and Storage


Handling & Storing:

Keep container closed when not in use. Store in cool place. Keep away from heat, sparks and flame. Do not lay the container on its side. Use with proper ventilation. Avoid prolonged breathing vapor. Avoid contact with eyes and prolonged or repeated skin contact. Static electricity may accumulate and cause a fire hazard.

Information about the empty container:

Do not re-use the container. Container will be hazardous when emptied. Residues will be flammable. Keep away from heat, sparks and flame. Do not puncture or cut the container and do not weld on or near the container.

### Section 8. Exposure Controls / Personal Protective Equipment



# **MATERIAL SAFETY DATA SHEET**

Engineering Controls: An eye wash station and safety shower should be located near the work-station.

Personal Protective Equipment

Hand Protection: Use disposable nitrile, neoprene or butyl rubber gloves with repeated or prolonged use.

Eye Protection: With product at ambient temperatures, use safety glasses equipped with side shields.

Apron or slicker suit. Body Protection:

Respiratory Protection: Not required.

General Hygienic

Avoid contamination of food, beverages, or smoking materials. Wash thoroughly after handling, Practices: and before eating, drinking or smoking. Remover contaminated clothing promptly and clean

thoroughly before reuse.

## Section 9. Physical and Chemical Properties

Appearance @ 25°C: Pastel Green Smooth Creamy Viscosity: 15,000 - 20,000

Lotion

Characteristic Odor Odor @ 25°C: Vapor Pressure:

7.5 - 8.5pН 0.940 - 0.990Specific Gravity: **Ignition:** Not applicable Total Solids, % Not available

**Boiling Point /** Not applicable

**Freezing Point** 

Solubility in Water Miscible

Not applicable Vapor Density: Not applicable Evaporation Rate: Not applicable

30.00% Volatiles (By

Weight):

### Section 10. Stability and Reactivity

Stability: Stable

**Hazardous Decomposition Products:** 

None.


Incompatibility (Materials to Avoid):

None.

**Hazardous Polymerization:** 

Will not occur

Conditions to Avoid: Heat and open flames



# MATERIAL SAFETY DATA SHEET

## Section 11. Toxicological Information

Acute Oral Toxicity: No data available

**Acute Toxicity to Invertebrates:** 

No data available

**Acute Toxicity to Algae:** 

No data available

Irritation - Skin: No data available

Irritation - Eye: No data available

Sensitization: No data available

Mutagenicity: None Sub-chronic Toxicity: None

## Section 12. Ecological Information

### **Ecotoxicological Information**

**Acute Toxicity to Fish:** 

No data available

**Acute Toxicity to Invertebrates:** 

No data available

**Acute Toxicity to Algae** 

No data available

**Bioconcentration:** No data available

Toxicity to Sewage Bacteria:

No data available

**Chemical Fate Information** 


**Biodegradability:** No data available

**Chemical Oxygen Demand:** 

No data available

## Section 13. Disposable Considerations

May be disposed of in a landfill or incinerated. Follow Federal, State and Local regulations for disposal.



# **MATERIAL SAFETY DATA SHEET**

## Section 14. Transportation Information

#### <DOT Information>

Proper Shipping Name (49CFR 172.101): Flammable Liquid n.o.s. (Petroleum Distillates)

Hazard Class: 3

UN/NA: UN1993

Packing Group:

## Section 15. Regulatory Information

Regulatory information available upon request.

## Section 16. Other Information

No additional information available.