### Manufacturer's Safety Data Sheet

### SECTION I: PREPARATION IDENTIFICATION AND COMPANY **INFORMATION**

MANUFACTURER'S NAME: ENTITY BEAUTY INC.

ADDRESS: 4700 MILLENIA BOULEVARD SUITE 150 ORLANDO, FLORIDA 32839 PRODUCT CODE: VARIOUS

PRODUCT TYPE: NAIL POLYMER

PRODUCT USE: NAIL COATING

EMERGENCY TELEPHONE No: 1 800 535 5053 INFORMATION CONTACT: INFOTRAC

ENTITY'S FORMULA NUMBER: CONFIDENTIAL

FAMILY: ACRYLIC POLYMER

TRADE NAME: PINKER PINK SCULPTING POWDER

**ISSUED:** 22 JUNE 2007 (REVISION 1)

SECTION II: COMPOSITION AND INGREDIENT INFORMATION							
<u>CAS</u> <u>Number</u>	EINECS#	<u>U. S. INCI</u>	<u>EU INCI</u>	<u>R Phrase</u>	<u>S</u> Phrase		
9003-42-3 9011-14-7 94-36-0	None None 202-327-6	Polyethyl methacrylate Polymethyl methacrylate Benzoyl peroxide	Polyethyl methacrylate Polymethyl methacrylate Benzoyl peroxide	none none 2,43	none none 2,3/7, 14, 36/37/3 9		
May contain 5281-04-9 2379-74-0 Hazard Symb	226-109-5 219-163-6 ols: Xi	Red 7 Red 30	Red 7 Red 30	none none	none none		

Safety Phrases: S2, S3/7, S14, S36/37/39 Risk Phrases: R36, R43

<u>Chemical Identity</u>	<u>Exposure</u> OSHA	<u>Limits</u> ACGIH	<b>Carcinogen</b>	<u>%</u>
	TWA/STEL	TWA/STEL	IARC/NTP/OSHA	
Polyethyl methacrylate	N/E	N/E	Not listed	65-99
Polymethyl methacrylate	N/E	N/E	3/no/no	0-35
Benzoyl peroxide	$5 \text{ mg/m}^3$	$5 \text{ mg/m}^3$	3/no/no	0-1
Red 7	N/E	N/E	Not listed	0-1
Red 30	N/E	N/E	Not listed	0-1
				N/E =None Established

### SECTION III: HAZARDS IDENTIFICATION

### **EMERGENCY OVERVIEW**

This information is based on findings from related or similar materials.

- May cause allergic skin reaction .
- May cause eye irritation. • Risk phrases - R43:may cause sensitization by skin contact
- Please read entire MSDS for additional information.

### **Potential Health Effects, Signs and Symptoms of Exposure:**

Primary Route of Entry:	Inhalation, skin, eyes, ingestion
Eye:	Vapour or liquid exposure may cause irritation of eyes. Symptoms of exposure may include stinging, tearing and/or redness.
Skin:	Liquid concentration may cause skin irritation. Repeated or prolonged contact may cause skin sensitization.
Ingestion:	May cause gastrointestinal irritation.
Inhalation:	High concentrations may irritate the respiratory system.

Chronic Health Effects Unlikely to present a cancer hazard in man. NOTE: Refer to Section 11, Toxicological Information for Details

## **SECTION IV:** FIRST AID MEASURES

First Aid for Eye:	Flush with water for 15 minutes, including under eyelids. Seek medical attention if discomfort persists.
First Aid for Skin:	Wash thoroughly with soap and water. Remove contaminated clothing and wash before re-use. Seek medical attention if discomfort persists.
First Aid for Inhalation:	Remove to fresh air. Seek medical attention immediately. If having breathing difficulty, give oxygen.
First Aid for Ingestion:	Seek medical advice immediately. Remove to fresh air. Rinse out mouth with water or induce vomiting only if directed by a physician. Never give anything by mouth to an unconscious person. If vomiting occurs spontaneously, keep head below hips to avoid aspiration into lungs.

SECTION V: FIRE FIGHTING MEASURES					
Flash Point (°F/°C)		Flammable Limit (vol%)	Auto-ignition Temperature (vol%)		
Pensky-Martin: 580°F/30	4°C	No data	No data		
Method: Extinguishing Media:	Foam, c	arbon dioxide, dry chemical			
Fire Fighting Instructions:	Wear self-contained breathing app spray or running water may be use		and full protective clothing. Water eep fire-exposed containers cool.		
Unusual Hazards: Polymer dust is combustible, explosive limits of the polymer particles suspended in air are approximately those of coal dust.					

# SECTION VI: ACCIDENTAL RELEASE MEASURES

Spill or Release	Eliminate all sources of heat and ignition. Use suitable protective clothing. Use
Procedures:	absorbent material for spills and dike it, wash spill material into retaining containers.
	Place containers in a well ventilated area. Consult an expert on disposal of recovered
	material and ensure conformity to local disposal regulations.
	Keep unnecessary and unprotected personnel from entering. Contain and recover
	liquid when possible. Use non-sparking tools and equipment. Collect liquid in an appropriate container or absorb with an inert material (e. g., vermiculite, dry sand,
	earth), and place in a chemical waste container. Do not use combustible materials,
	such as sawdust. Do not flush to sewer - although product is not labelled as dangerous
	to the environment
	EU Regulations require the consultation of Directive 98/24/EC. If a leak or spill has
	not ignited, use water spray to disperse the vapours, to protect personnel attempting to
	stop leak, and to flush spills away from exposures.
	US Regulations (CERCLA) require reporting spills and releases to soil, water and air
	in excess of reportable quantities. The toll free number for the US Coast Guard
	National Response Center is (800) 424-8802.
	-

# SECTION VII: HANDLING AND STORAGE

Handling:	Avoid contact with eyes, skin and clothing. Avoid breathing dust. Use with adequate ventilation. Follow all MSDS/label precautions even after container is emptied because it may retain product residues. Wash thoroughly after handling.
Storage:	Store in a cool, dry area. Keep container closed when not in use. Store at ambient temperatures out of direct sunlight. Store in a well ventilated place. Store in accordance with National Fire Protection Association recommendations.
Explosion Hazard	Polymer dust is combustible, explosive limits of the polymer particles suspended in

# Explosion Hazard: Polymer dust is combustible, explosive limits of the polymer particles suspended in air are approximately those of coal dust.

# SECTION VIII: EXPOSURE CONTROLS / PERSONAL PROTECTIVE EQUIPMENT

EQUIIMENT	
Engineering	Use process enclosures, local exhaust ventilation, or other engineering controls to
Controls:	control airborne levels below recommended exposure limits. Use explosion-proof
	ventilation equipment.
Personal Protective E	quipment
General:	To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132) or UK CoSHH regulations (or other appropriate EU legislation) be conducted before using this product. Provide eye wash stations and safety showers. Wear impervious clothing to prevent ANY contact with this product, such as gloves, apron, boots, or whole bodysuit. Nitrile rubber is better than PVC.
	For professional use in beauty salons, the use of a fan is recommended to provide fresh air supplies to operator.
Eye/ Face Protection:	Always check suitability of equipment with the supplier. Wear safety glasses. Wear coverall chemical splash goggles and face shield when possibility exists for eye and face contact due to splashing or spraying material.
Skin Protection:	Use impermeable clothing to prevent any contact with this product, such as gloves, apron, boots, or a whole body suit. Neoprene and nitrile rubber is better than PVC.

RespiratoryA NIOSH/MSHA approved air purifying respirator with an organic vapourProtection:cartridge or canister may be permissible under certain limited circumstances where<br/>airborne concentrations are expected to exceed exposure limits.

Protection provided by air purifying respirators is limited. Wear a NIOSH/MSHA or European Standard EN 149 approved full-face piece airline respirator in the positive pressure mode with emergency escape provisions. Follow OSHA respirator regulations found in 29 CFR 1910.134 or European Standard 149.

SECTION IX: PHYSICAL AND CHEMICAL PROPERTIES							
Appearance	Odour & Odour Threshold		PH	Specific Gravity	Viscosity	% Volatile -	Solubility In Water (20°C)
Fine, pink powder	Faint odour		N/A	(H <sub>2</sub> O=1): N/DA	N/A	N/A	insoluble
<b>Boiling Point/</b>	Decomposition	Octanol/	Water	Vapour	Vapour	Evaporation	Ignition
Freezing	Temperature	Partition	ing	<b>Pressure:</b>	Density	Rate	_
Point	-	Coefficie	nt				
N/DA	N/DA	N/2	A	N/A	(Air=1): N/DA	N/DA	N/A
Flash Point (°F/°C)		Flammable Limit (vol%) Auto-ignition Temperature (vol%)			e (vol%)		
Pensky-Martin: 58	80°F/ 304°C		N/A			N/A	

### SECTION X: STABILITY AND REACTIVITY

**Stability:** 

Chemically stable under normal conditions Hazardous Decomposition Products: Oxides of carbon. Incompatibility (Materials to Avoid): Strong oxidizing agents. Hazardous Polymerization: Will not occur.

**Conditions to Avoid:** 

Heating above 240°C, 464°F.

SECTION XI: TOXICOLOGICAL INFORMATION						
Acute Oral Toxicity	Acute Dermal Toxicity		Acute Inhalation Toxicity	Irritation - skin	Irritation - Eye	
Copolymer: LD50 Oral (rat) = 7990 mg/kg	Copolymer: LD50 Dermal (rabbitt) = 35,500 mg/kg		Copolymer: LD50 Inhalation (rat) = $>12,500-16,500$ ppm for 0.5 hrs.	mild	mild	
Sensitisation No data			Mutagenicity No data		<b>nic Toxicity</b> data	

### SECTION XII: ECOLOGICAL INFORMATION

### Ecotoxicological Information

Acute Toxicity to Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
Flathead minnows and goldfish, TLm24: 420 ppm; bluegills TLm24: 368 ppm	No data	No data	No data	No data

#### **Chemical Fate Information**

Biodegradability	No data				
Chemical Oxygen Demand	No data				
To the best of our knowledge, the ecotoxicological and chemical fate properties have not been thoroughly					

investigated. Do not allow to enter drinking water supplies, wastewater, or soil.

### SECTION XIII: DISPOSAL CONSIDERATIONS

May be disposed of in a landfill or incinerated. For EU Member States, please refer to any relevant Community provisions relating to waste. In their absence, it is useful to remind the user that national or regional provisions may be in force.


Whatever cannot be saved for recovery or recycling should be handled as hazardous waste and sent to an approved waste facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements

### SECTION XIV: TRANSPORT INFORMATION

DOT (49 CFR 172)	
Proper Shipping Name:	Not regulated
Identification Number:	
Marine Pollutant:	No
Special Provisions:	
Emergency Response Guidebook	
(ERG) #:	
IATA (DGR):	
Proper Shipping Name:	Not regulated
Class or Division:	
UN or ID Number:	
Packaging Instructions:	
<b>Emergency Response Guidance</b>	
(ICAO)#:	
IMO (IMDG):	
Proper Shipping Name:	Not regulated
Class or Division:	
UN or ID Number:	
Special Provisions &	
Stowage/Segregation:	
Emergency Schedule (EmS)#:	
Other Information:	Flash point > 100°C

SECTION XV: REGULATORY INFORMATION	
International Regulations	
CDSL: Canadian Inventory (on Canadian Transitional List)	polyethyl methacrylate DSL regulatory status: Included, WHMIS: not listed polymethyl methacrylate DSL regulatory status: Included, WHMIS: not listed benzoyl peroxide DSL regulatory status: Included, WHMIS: C, D2B, B4 red 7 DSL regulatory status: Included, WHMIS: not listed red 30 DSL regulatory status: Included, WHMIS: not listed
EINECS: European Inventory:	<ul> <li># UV GEL TOP COAT:</li> <li>HAZARD SYMBOLS: Xi: Irritant</li> <li>RISK PHRASES: R43: may cause sensitization by skin contact</li> <li>SAFETY PHRASES: S2: keep out of reach of children, S3/7: keep container tightly closed in a cool place S14: keep away from incompatible materials, S36/37/39: Wear suitable protective clothing, gloves and eye/face protection</li> </ul>

### SECTION XVI: OTHER INFORMATION



The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the MSDS may not be applicable. If one could have any concerns with or problems understanding this MSDS form, please direct all questions to INFOTRAC, Chemical Emergency Resources System at 1(800) 535-5053.