

Route(s) of Entry into the Body: Inhalation: X Skin: X Ingestion: X

Ingredients Listed As Cancer Causing Agents: None

Health Hazards: *(Resulting from misuse or overexposure)*

Short Term Effects: Eye contact may cause severe damage. Extent of damage depends on duration of contact. Inhalation can cause irritation of mucous membranes, irritation of upper respiratory tract.

Chronic Effects: None identified

Signs and Symptoms of Overexposure: Severe corrosion of skin from prolonged contact with product. Ingestion will cause severe burns to mouth, throat and stomach, nausea and vomiting.

Targeted Organ(s) Affected: Eyes, skin and mucous membranes.

EMERGENCY AND FIRST AID TREATMENT

Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes, preferably 45 minutes, holding eyelids apart to facilitate irrigation. Utmost speed is essential. Get medical attention immediately.

Skin Contact: Wash immediately with water until soapiness disappears. Remove any contaminated clothing or shoes. Wash clothes before re-use. Get medical help if irritation persists.

Inhalation: Immediately remove suspect to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention immediately.

Ingestion: Do not induce vomiting. Immediately give large quantities of water, if the person is conscious (never give anything by mouth to an unconscious person). Arrange for immediate medical help.

SECTION V

CONTROL MEASURES

Specified Respiratory Protection: Respiratory protection is not required under conditions of normal use.

Ventilation Required: Local Exhaust X Mechanical X Special

Protective Gloves: Yes

Eye Protection: Wear safety glasses meeting the specifications of ANSI Standard Z87.1

Work / Hygienic Practices: Wash hands with water thoroughly after handling. Avoid handling conditions that may lead to spills, leaks or injections.

Other Special Precautions or Protective Equipment: Eyewash station and safety shower in the work area.