

Page 1 of 7

CND-N-071

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards			MSDS F	Revision: 2	.3	MSDS R	evision Da	ate:	09/15/2004		
			1 000								
1.1	Product Name:		I. FRU	DUCT IDEN		AIION					
	BRISA™ SOFT WHI	TE SCULP	ING GEL								
1.2	Chemical Name: METHACRYLATE MIXTURE										
1.3	Synonyms:										
	NA										
1.4	Trade Names: NA										
1.5	Product Use: COSMETIC USE ONLY										
1.6	Manufacturer's Name:										
	CREATIVE NAIL DESIGN, IN	С.									
1.7	Manufacturer's Address: 1125 JOSHUA WAY, VISTA,	CA 92081 US/	Ň								
1.8	Emergency Phone:	CA 72001 037	<u>،</u>								
	ROCKY MOUNTAIN P	OISON COM	NTROL CENT	ER: 30	3-623-	5716					
1.9	Business Phone:										
	800-833-NAIL (6245), 760-	599-2900									
		2 CO	APOSITIO	N & INGRE	DIFN		ΝΔΤΙΟ)N			
		2. 00,							TS IN AIR ((ma/m³)	
						AC	GIH		OSHA		OTHER
					%	TLV	STEL	PEL	STEL	IDLH	
IIRFTH	CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	70	ppm	ppm	ppm	ppm	ppm	
OLIGO		NA	NA	NA	≤ 90.0	NE	NE	NE	NE	NE	
	ACRYLATE MONOMERS	NA	NA	NA	≤ 15.0	NE	NE	NE	NE	NE	
SILICA	A	67762-90-7	VW3234375	NA	≤ 5.0	(10)	NE	(10)	NE	NE	As a dust
OTHE	R COMPONENTS PRESENT IN	LESS THAN 1%	CONCENTRAT	ION	BAL	THE REMAINING COMPONENTS DO NOT CONTRIBUTE ANY SIGNIFICANT ADDITIONAL HAZARDS					
						SIGNIFIC		HONAL H	ALAKDS		
					<u> </u>	-					
			1	1							
	Not Available; ND = Not D E: all WHMIS required inform				-						ns Used



Page 2 of 7

CND-N-071

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards

MSDS Revision: 2.3

	3. HAZARD IDENTIFICATION									
3.1		Hazard Identification:								
	NA									
3.2	Routes of Entry:		Inhalation:	YES	Absorption:	YES	Ingestion:	YES		
3.3	Effects of Exposure			awaa baadaa	he versiting a	ad (ar diarribaa	and control			
	INGESTION:	If product is swallowed, depression.	may cause r	iausea, neadac	ne, vomiting a	na/or alarrnea	ana central	nervous	system	
	SKIN & EYES:	Irritating to the eyes. Sy irritating to skin in some se						tering. N	Nay be	
	INHALATION:							pors in ex	cess of	
		ON: Inhalation of vapors is unlikely under normal conditions of use and handling; however, inhalation of vapors in excess of the levels listed in Section 2 (Composition and Ingredient Information) can cause central nervous system depression (e.g., drowsiness, dizziness, headaches, nausea).								
3.4	Symptoms of Over	exposure:								
		skin overexposure in so			include rednes	s, itching, and	l irritation of	affected	areas.	
		in eyes may cause rednes	s, itching and v	watering.						
3.5	Acute Health Effect		in no ex effecte							
3.6	Chronic Health Eff	ate irritation to eyes and sk	in near affecte	a areas.						
3.0	None known.	2013.								
3.7	Target Organs:									
	Eyes and skin									
			4. FIR	ST AID MEA	SURES					
4.1	First Aid:									
	INGESTION:	INGESTION: If ingested, do not induce vomiting. If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact Rocky Mountain Poison Control Center at 303-623-5716 or the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed.				Rocky umber.				
	EYES:			•	res, flush with co	pious amounts	of lukewarm v	EYES: Splashes are not likely; however, if product gets in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. If irritation occurs, contact a physician.		
	SKIN: If irritation occurs and product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the effected area with soap and water. If irritation, redness or swelling persists, contact a physician immediately.									
	SKIN:									
			p and water. I							
4.2	INHALATION: Medical Condition	the effected area with soc	p and water. I							
4.2	INHALATION:	the effected area with soc Remove victim to fresh air	p and water. I			rsists, contact a	physician imr		1	
4.2	INHALATION: Medical Condition	the effected area with soc Remove victim to fresh air	p and water. I			rsists, contact a HEALTH FLAMMAE	physician imr BILITY		1 1	
4.2	INHALATION: Medical Condition	the effected area with soc Remove victim to fresh air	p and water. I			rsists, contact a	physician imr BILITY		1	
4.2	INHALATION: Medical Condition	the effected area with soc Remove victim to fresh air	p and water. I			rsists, contact a HEALTH FLAMMAE	physician imr BILITY Y	nediately	1 1	



Page 3 of 7

CND-N-071

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards

MSDS Revision: 2.3

	5. FIREFIGHTING MEASURES					
5.1	Flashpoint & Method:					
0.1	71°C (160°F) c.c.					
5.2	Autoignition Temperature:					
	NA					
5.3	Flammability Limits: Lower Explosive Limit (LEL): ND Upper Explosive Limit (UEL): ND					
5.4	Fire & Explosion Hazards:					
	NA					
5.5	Extinguishing Methods:					
	CO ₂ , Halon, Dry Chemical, Foam					
5.6	Firefighting Procedures:					
	This product is a combustible liquid. When involved in a fire, this product may ignite readily and decompose to produce carbon oxides. Vapors of this product are heavier than air and may travel to a source of ignition and flash back to a leaking or open container.					
	First responders should wear eye protection. Structural firefighters must wear SCBAs and full protective equipment. Use a water spray or fog to reduce or direct vapors. Water may not be effective in actually extinguishing a fire involving this product.					
	6. ACCIDENTAL RELEASE MEASURES					
6.1	Spills:					
	Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment.					
	For small spills (e.g., <1 gallon) wear appropriate personal protective equipment (e.g., goggles, gloves). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse.					
	For spills ≥ 1 gallon, deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.					
	7. HANDLING & STORAGE INFORMATION					
7.1	Work & Hygiene Practices:					
	Avoid prolonged contact with the product. After use, wash hands and exposed skin with soap and water. Do not eat, drink or smoke while handling product.					
7.2	Storage & Handling:					
	Keep this material away from heat, sparks and open flame. Open containers slowly on a stable surface. Keep container closed tightly when not in use. Empty container may contain residual amounts of this product; therefore, empty containers should be handled with care.					
	Store containers in a cool, dry location, away from direct sunlight, other light sources, or sources of intense heat. Store away from incompatible materials (see Section 10, Stability and Reactivity). Material should be stored in secondary containers as appropriate.					
7.3	Special Precautions: Open containers slowly on a stable surface. Keep container tightly closed when not in use. Empty containers may contain residual amounts of this product; therefore, empty containers should be handled with care.					



Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards

MSDS Revision: 2.3

MSDS Revision Date: 09/15/2004

8. EXPOSURE CONTROLS & PERSONAL PROTECTION

8.1	Ventilation & Engineering Controls:					
	When working with large quantities of product, provide adequate ventilation (e.g., local exhaust ventilation, fans). Ensure that an					
	eyewash station, sink or washbasin is available in case of exposure to eyes.					
8.2	Respiratory Protection:					
	protection authorized per U.S	tion is required under typical circumstances of use or handling. If necessary, use only respiratory OSHA's requirement in 29 CFR §1910.134, or applicable U.S. state regulations, or the appropriate aces, E.C. member states, or Australia.				
8.3	Eye Protection:					
	Depending on the use of this Canadian standards, or the Eur	product, splash or safety glasses may be worn. If necessary, refer to U.S. OSHA 29 CFR §1910.133, opean Standard EN166.				
8.4	Hand Protection:					
		& repeated skin contact will occur during use of this product, wear latex or rubber gloves for routine er to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, of the E.C. member states.				
8.5	Body Protection:					
		equired under typical circumstances of use and handling. If necessary, refer to appropriate standards				
	of Canada, the E.C. member st	ates, or U.S. OSHA.				
		9. PHYSICAL & CHEMICAL PROPERTIES				
9.1	Density:	> 1.2				
9.2	Boiling Point:	NE				
9.3	Melting Point:	NE				
9.4	Evaporation Rate:	> 150 °C				
9.5	Vapor Pressure:	NE				
9.6	Molecular Weight:	NE				
9.7	Appearance & Color:	White viscous liquid.				
9.8	Odor Threshold:	Slight Esters Odor				
9.9	Solubility:	Slightly soluble in water.				
9.10	рН	ND				
9.11	Viscosity:	Non-flowing gel				
9.12	Other Information:	Vapor density > 1.0				
	10. STABILITY & REACTIVITY					
10.1	Stability:	Stable under ambient conditions when stored properly (see Section 7, Storage and Handling).				
10.2	Hazardous Decomposition Products:	If exposed to extremely high temperatures, the products of thermal decomposition may include irritating vapors and carbon oxide gases (e.g., CO, CO ₂).				
10.3	Hazardous Polymerization:	May occur, if exposed to extremely high temperatures.				
10.4	Conditions to Avoid:	None known.				
10.5	Incompatible Substances:	This product is incompatible with alkaline metals, strong oxidizers (e.g., peroxides, superoxides), strong acids (e.g., hydrochloric or muriatic acids), or strong bases (e.g., lye, potassium hydroxide).				



Page 5 of 7

CND-N-071

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards

MSDS Revision: 2.3

		11. TOXICOLOGICAL INFORMATION
11.1	Toxicity Data:	This product has NOT been tested on animals to obtain toxicology data. There are toxicology data for the components of the product, which are found in scientific literature. These data have not been presented in this document.
11.2	Acute Toxicity:	See Section 3.5
11.3	Chronic Toxicity:	See Section 3.6
11.4	Suspected Carcinogen:	NA
11.5	Reproductive Toxicity:	This product is not reported to cause reproductive toxicity in humans.
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.
	Teratogenicity:	This product is not reported to cause teratogenic effects in humans.
	Reproductive Toxicity:	This product is not reported to cause reproductive effects in humans.
11.6	Irritancy of Product:	See Section 3.3
11.7	Biological Exposure Indices:	NE
11.8	Physician Recommendations:	Treat symptomatically.
		12. ECOLOGICAL INFORMATION
12.1	Environmental Stability:	There are no specific data available for this product.
12.2	Effects on Plants & Animals:	There are no specific data available for this product.
12.3	Effects on Aquatic Life:	There are no specific data available for this product; however, very large releases of this product may be harmful or fatal to overexposed aquatic life.
		13. DISPOSAL CONSIDERATIONS
13.1	Waste Disposal: Waste disposal must be ir	accordance with appropriate federal, state, and local regulations.
13.2	Special Considerations: NA	
		14. TRANSPORTATION INFORMATION
	1 1	nipping name, hazard class & division, ID Number, packing group) is shown for each mode of transportation. on may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.
14.1	49 CFR (GND): NOT REGULATED	
14.2	IATA (AIR):	
	NOT REGULATED	
14.3		
14.4	NOT REGULATED TDGR (Canadian GND):	
14.4	NOT REGULATED	
14.5	ADR/RID (EU):	
	NOT REGULATED	

C
CREATIVE
NAIL DESIGN4

Page 6 of 7

CND-N-071

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards

MSDS Revision: 2.3

		15. REGULATORY INFORMATION	
15.1	SARA Reporting Requirements:		
	NA		
15.2	SARA Threshold Planning Quantity:		
	There are no specific Threshold Planning	Quantities for the components of this product.	
15.3	TSCA Inventory Status:		
	The components of this product are listed	d on the TSCA Inventory.	
15.4	CERCLA Reportable Quantity (RQ):		
	NA		
15.5	Other Federal Requirements:		
45.4		ite sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics).	
15.6		ing to the hazard criteria of the CPR and the MSDS contains all of e components of this product are listed on the DSL/NDSL. None ted on the Priorities Substances List.	
15.7	State Regulatory Information:		
	No components of this mixture are listed	in the California Proposition 65 Lists.	
15.8	67/548/EEC (European Union) Requirements: The primary component of this product is not listed in Annex I of EU Directive 67/548/EEC.		
		16. OTHER INFORMATION	
16.1	Other Information: WARNING: Precisely follow directions and MSDS (available through your supplier) for use. Avoid all skin contact. If redness or other signs of adverse reaction occur, discontinue use immediately. Keep out of reach of children. Keep out of sunlight. FOR		
	PROFESSIONAL USE ONLY.		
16.2	Terms & Definitions:		
1()	See page 7 of this MSDS.		
16.3	government regulations must be review knowledge, the information contained h are not guaranteed and no warranties relates only to the specific product(s).	ered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other wed for applicability to this product. To the best of ShipMate's & Creative Nail Design's nerein is reliable and accurate as of this date; however, accuracy, suitability or completeness of any type, either expressed or implied, are provided. The information contained herein . If this product(s) is combined with other materials, all component properties must be n time to time. Be sure to consult the latest edition.	
16.4	Prepared for: Creative Nail Design, Inc. 1125 Joshua Way Vista, CA 92081 USA 800-833-NAIL (6245) phone 760-599-4005 fax http://www.creativenaildesign.com/	CREATIVE NAIL DESIGN ⁴	
16.5	Prepared by: ShipMate, Inc. 18436 Hawthorne Boulevard, Suite 201 Torrance, CA 90504 USA 310-360-3700 phone 310-360-5700 fax http://www.shipmate.com/	ShipMate Dangerous Goods Training & Consulting	



Page 7 of 7

CND-N-071

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards

MSDS Revision: 2.3

MSDS Revision Date: 09/15/2004

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No. Chemical Abstract Service Number

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists
TLV Threshold Limit Value	
OSHA	U.S. Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
IDLH	Immediately Dangerous to Life and Health

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person
	whose heart has stopped receives manual chest
	compressions and breathing to circulate blood and provide
	oxygen to the body.

HEALTH

FLAMMABILITY

REACTIVITY

PERSONAL PROTECTION

56


o¥0

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	0 Minimal Hazard	
1	1 Slight Hazard	
2	2 Moderate Hazard	
3	3 Severe Hazard	
4 Extreme Hazard		

PERSONAL PROTECTION RATINGS:



OTHER STANDARD ABBREVIATIONS:

NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus


NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:

Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition	
LEL	LEL Lower Explosive Limit - lowest percent of vapor in air, b	
	volume, that will explode or ignite in the presence of	
	an ignition source	
UEL	Upper Explosive Limit - highest percent of vapor in air,	
	by volume, that will explode or ignite in the presence of	
	an ignition source	

HAZARD RATINGS:

0	Minimal Hazard					
1	Slight Hazard					
2	Moderate Hazard					
3	Severe Hazard					
4	Extreme Hazard					
ACD	Acidic					
ALK	Alkaline					
COR	Corrosive					
-W -	Use No Water					
OX	Oxidizer					



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the				
	exposed animals s				
LC 50					
LC 50					
	exposed animal				
ppm	Concentration expressed in parts of material per				
	million parts				
TDio	Lowest dose to cause a symptom				
TCLo	Lowest concentration to cause a symptom				
TDIo, LDIO, & LDO OF	Lowest dose (or concentration) to cause lethal or				
TC, TC _o , LC _{lo} , & LC _o	toxic effects				
IARC	International Agency for Research on Cancer				
NTP	National Toxicology Program				
RTECS	RTECS Registry of Toxic Effects of Chemical Substances				
BCF	Bioconcentration Factor				
TLm	Median threshold limit				
log Kow or log Koc	Coefficient of Oil/Water Distribution				

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System				
DOT	U.S. Department of Transportation				
TC	Transport Canada				
EPA	U.S. Environmental Protection Agency				
DSL	Canadian Domestic Substance List				
NDSL	Canadian Non-Domestic Substance List				
PSL	Canadian Priority Substances List				
TSCA	U.S. Toxic Substance Control Act				
EU	European Union (European Union Directive 67/548/EEC)				
CPR	Controlled Product Regulations				

EC INFORMATION:

1 1 1		1×	*	8	X	×	×
С	E	F	Ν	0	T+	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful