

Page 1 of 7

CND-N-113

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards MSDS Revision: 1.0 MSDS Revision Date: 07/15/2004										
			DUCT IDEN		ΔΤΙΩΝ					
1.1 Product Name:										
1.1 Product Name: RAW EARTH - FOOT	BUFF									
1.2 Chemical Name:										
CRYSTALLINE MIXTURE           1.3         Synonyms:										
NA	NA									
1.4 Trade Names: NA	Trade Names: NA									
1.5 Product Use: COSMETIC USE ONLY										
1.6 Manufacturer's Name:										
CREATIVE NAIL DESIGN, INC.										
1.7 Manufacturer's Address: 1125 JOSHUA WAY, VISTA, CA	A USA 92081									
1.8 Emergency Phone:										
ROCKY MOUNTAIN POI	ISON CON	TROL CENT	ER: 30	3-623-	5716					
1.9 Business Phone: 800-833-NAIL (6245), 760-599	9-2900									
	/ 2/00									
	2. CON	<b>NPOSITION</b>	N & INGRE	DIENT		MATIC	)N			
						EXPOS	SURE LIMI	TS IN AIR (	(mg/m³)	
					AC	GIH		OSHA		OTHER
CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	PEL	STEL	IDLH	
	7-92-9	GE7350000	201-069-1	≤ 30.0	ppm NE	ppm NE	ppm NE	ppm NE	ppm NE	
	8956-68-3	YX1850000	273-313-5	≤ 30.0 ≤ 25.0	NE	NE	NE	NE	NE	
SUCROSE 57-50-1		WN6500000	200-334-9	≤ 20.0	(10)	NA	(5)	NA	NA	RESP DUST
		EW3100000	215-138-9	≤ 15.0	(10)	NA	(5)	NA	NA	RESP DUST
	59518-86-2		NA	≤ 10.0	NE	NE	NE	NE	NE	
		MA6870000	NA	≤ 2.0	NE	NE	NE	NE	NE	
	9-76-3	DH2450000	202-785-7	< 1.0	NE	NE	NE	NE	NE	
BUTYLPARABEN 94	4-26-8	DH1980000	202-318-7	< 1.0	NE	NE	NE	NE	NE	
PROPYLPARABEN 94	4-13-3	DH2800000	202-307-7	< 1.0	NE	NE	NE	NE	NE	
ETHYLPARABEN 12	20-47-8	DH2190000	204-399-4	< 1.0	NE	NE	NE	NE	NE	
OTHER COMPONENTS PRESENT IN LES	SS THAN 1%	CONCENTRAT	ION	BAL		AINING CO				RIBUTE ANY
NA = Not Available; ND = Not Dete NOTE: all WHMIS required informat				0						is Used



Page 2 of 7

CND-N-113

Prep	ared to OSHA, A	ACC, ANSI, WHMIS & 2001/58	3 EC Standards	N	ISDS Revision: 1.0	MSE	DS Revision Date: 07/15.	/2004
				DENITU				
3.1	Hazard Identificatio	on:	3. HAZARD		TCATION			
3.2	Routes of Entry:		Inhalation:	NO	Absorption:	YES	Ingestion:	YES
3.3	Effects of Exposure INGESTION: SKIN & EYES: INHALATION:		may cause nausea May be irritating to		g, and/or diarrhed			
3.4		skin overexposure in som in eyes may cause redness,			/ include rednes	ss, itching a	nd irritation of affect	ed areas.
3.5		o eyes and skin near affecte	d areas					
3.6	Chronic Health Effe	1	u dicus.					
3.7	Target Organs: Eyes and skin.							
			4. FIRST A		ASURES			
4.1	First Aid: INGESTON: EYES & SKIN: INHALATION:	If ingested, do not induce v offer plenty of water or mill Control at 303-623-5716 or t time and amount of the sub: Splashes are not likely; how least 15 minutes. Open and irritation occurs when produ the affected area with warr irritation, redness or swelling Remove victim to fresh air a	k. Never give wat the nearest Poison stance that was sw wever, if product g d close eyelid(s) to uct is on the skin, rin m water and soap. g persists, contact a	er or milk Control C allowed. ets into th ensure t nse thorou Remove	to an unconscio enter or local em ne eyes, flush with horough irrigation ughly with lukewa contaminated cl	ous person. ergency nun h copious ar h. If irritation Irm water, fol	Contact Rocky Mounte nber. Provide an estim nounts of lukewarm w occurs, contact a phy lowed by a thorough v	ain Poison ate of the ater for at ysician. If yashing of
4.2		s Aggravated by Exposure:				HEALTH		1
	None known.					FLAMM		0
								-
						REACTIV		0
					ļ	PROTEC	TIVE EQUIPMEN	F



Page 3 of 7 CND-N-113

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.0

MSDS Revision Date: 07/15/2004

	5. FIREFIGHTING MEASURES
5.1	Flashpoint & Method:
	Non-flammable.
5.2	Autoignition Temperature:
	NA
5.3	Flammability Limits:         Lower Explosive Limit (LEL):         NA         Upper Explosive Limit (UEL):         NA
5.4	Fire & Explosion Hazards:
	This product is not flammable. If involved in a fire, this product may decompose to produce carbon oxides and nitrogen oxides.
5.5	Extinguishing Methods:
	Water, CO <sub>2</sub> , Halon, Dry Chemical
5.6	Firefighting Procedures:
	This product is not flammable. If involved in a fire, emergency responders should wear eye protection and SCBAs and other protective equipment. If possible, prevent runoff water from entering storm drains, waterways or environmentally-sensitive areas. Wash contaminated clothing and equipment with warm water and soap, followed by rinse before returning to service.
	6. ACCIDENTAL RELEASE MEASURES
6.1	Spills: Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., <1 gallon) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For spills ≥ 1 gallon, deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer product to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.
	7. HANDLING & STORAGE INFORMATION
7.1	Work & Hygiene Practices:
	Follow normal hygiene practices. Do not eat, drink or smoke while handling product.
7.2	Storage & Handling: Store containers in a cool, dry location, away from direct sunlight, other light sources, or sources of intense heat. Product is water reactive. Keep away from all sources of moisture. Store away from incompatible materials (see Section 10, Stability and Reactivity). Inspect all incoming containers before storage to ensure containers are properly labeled and not damaged.
7.3	Special Precautions:
	Spilled material may present a slipping hazard if left unattended. Clean all spills promptly.
L	



Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.0

MSDS Revision Date: 07/15/2004

### 8. EXPOSURE CONTROLS & PERSONAL PROTECTION

	8.	EXPOSURE CONTROLS & PERSONAL PROTECTION
8.1	••••	intities of product, provide adequate ventilation (e.g., local exhaust ventilation, fans). Ensure that an is available in case of exposure to eyes.
8.2		ction is required under typical circumstances of use or handling. If necessary, use only respiratory Federal OSHA's 29 CFR 1910.134, applicable U.S. State regulations, or the appropriate standards of ember States, or Australia.
8.3		conditions of use. Avoid eye contact. Eye contact may cause irritation in some sensitive individuals. ss (e.g., $\geq$ 1 gallon), safety glasses with side shields should be used.
8.4	Hand Protection:	
		conditions of use. However, may cause skin irritation in some sensitive individuals. es (e.g., ≥ 1 gallon), wear rubber or impervious plastic gloves.
8.5	Body Protection:	
	No apron required when hand	lling small quantities.
		es (e.g., $\geq$ 1 gallon), eye wash stations and deluge showers should be available. Upon completion of quantities of this product, wash any exposed areas thoroughly with soap and water.
		9. PHYSICAL & CHEMICAL PROPERTIES
9.1	Density:	NE
9.2	Boiling Point:	NE
9.3	Melting Point:	NE
9.4	Evaporation Rate:	NE
9.5	Vapor Pressure:	NE
9.6	Molecular Weight:	NE
9.7	Appearance & Color:	Light, almond colored crystalline/oil mixture with fragrant odor
9.8	Odor Threshold:	NE
9.9	Solubility:	Mostly soluble in water
9.10	рН	3.1
9.11	Viscosity:	NE
9.12	Other Information:	NA
		10. STABILITY & REACTIVITY
10.1	Stability:	Stable under dry ambient conditions when stored properly (see Section 7, Storage and Handling).
10.2	Hazardous Decomposition Products:	NA
10.3	Hazardous Polymerization:	Will not occur.
10.4	Conditions to Avoid:	Exposure to water or other sources of moisture or contact with extreme temperatures, strong light sources or incompatible materials.
10.5	Incompatible Substances:	This product is incompatible with strong oxidizers (e.g., peroxide compounds), bases (e.g., potassium hydroxide), strong acids (e.g., nitric acid), cationic materials, heavy metal salts, and water reactive materials.



Page 5 of 7

CND-N-113

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.0

MSDS Revision Date: 07/15/2004

	11. TOXICOLOGICAL INFORMATION		
Toxicity Data:	This product has not been tested on animals to obtain toxicological data. There are toxicology data for the components of this product, which are found in the scientific literature. These data have not been presented in this document.		
Acute Toxicity:	See Section 3.5		
Chronic Toxicity:	See Section 3.6		
Suspected Carcinogen:	NE		
Reproductive Toxicity:	This product is not reported to produce reproductive toxicity in humans.		
Mutagenicity:	This product is not reported to produce mutagenic effects in humans.		
Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.		
Teratogenicity:	This product is not reported to produce teratogenic effects in humans.		
Reproductive Toxicity:	This product is not reported to produce reproductive effects in humans.		
Irritancy of Product:	Can irritate skin and eyes in some sensitive individuals.		
Biological Exposure Indices:	NE		
Physician Recommendations:	Treat symptomatically.		
	12. ECOLOGICAL INFORMATION		
Environmental Stability:	This product will slowly volatilize from soil. Components of this product will slowly decompose into organic compounds.		
Effects on Plants & Animals:	There is no specific data available for this product.		
Effects on Aquatic Life:	There is no specific data available for this product.		
	13. DISPOSAL CONSIDERATIONS		
Waste Disposal: Dispose in accordance w	ith Federal, state and local regulations.		
Special Considerations: NA			
	14. TRANSPORTATION INFORMATION		
1 1	nipping name, hazard class & division, ID Number, packing group) is shown for each mode of transportation. on may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.		
49 CFR (GND): NOT REGULATED			
IATA (AIR):			
NOT REGULATED			
IMDG (OCN):			
· · · · · ·			
	Acute Toxicity: Chronic Toxicity: Suspected Carcinogen: Reproductive Toxicity: Mutagenicity: Embryotoxicity: Teratogenicity: Reproductive Toxicity: Irritancy of Product: Biological Exposure Indices: Physician Recommendations: Effects on Plants & Animals: Effects on Plants & Animals: Effects on Aquatic Life: Waste Disposal: Dispose in accordance w Special Considerations: NA Special Considerations: NA Considerations: Considerations		



Page 6 of 7

CND-N-113

MSDS Revision: 1.0

MSDS Revision Date: 07/15/2004

	15. REGULATORY INFORMATION				
15.1	SARA Reporting Requirements:				
	NA				
15.2	SARA Threshold Planning Quantity:				
	NA				
15.3	TSCA Inventory Status:	the TSCA inventory			
15.4	The components of this product are listed on CERCLA Reportable Quantity (RQ):	ine ISCA Inveniory.			
15.4	NA				
15.5	Other Federal Requirements:				
	This product complies with the appropriate se	ections of the Food and Drug Administration's 21 CFR subchap	oter G (Cosmetics).		
15.6	Other Canadian Regulations:				
	•	the hazard criteria of the CPR and the MSDS contains all of mponents of this product are listed on the DSL/NDSL. None on the Priorities Substances List.			
15.7	State Regulatory Information:		·		
	No components of this product are listed on t	he California Proposition 65 lists.			
15.8	67/548/EEC (European Union) Requirements:				
	The primary component of this product is not	listed in Annex I of EU Directive 67/548/EEC.			
		16. OTHER INFORMATION			
16.1	16.1 Other Information: WARNING: Product is moisture reactive. Use only as directed. Do not use on sensitive areas of the body (i.e. face). Avoid eye contact. If contact occurs, flush eye thoroughly with running water for at least 15 minutes. Seek medical attention. If irritation develops, discontinue use immediately and thoroughly rinse affected area. Do not taste or swallow. If ingested, immediately seek medical attention. KEEP OUT OF REACH OF CHILDREN. May increase skin's sensitivity to sun. Use sunscreen and limit sun exposure				
16.2	when using this product.       Terms & Definitions:				
	See page 7 of this MSDS.				
16.3	Disclaimer:				
	This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Creative Nail Design's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.				
16.4	Prepared for: Creative Nail Design, Inc. 1125 Joshua Way Vista, CA 92081 800-833-NAIL (6245) phone	CREATIVE			
	760-599-4005 fax				
1/ 5	http://www.creativenaildesign.com/				
16.5	Prepared by: ShipMate, Inc.				
	18436 Hawthorne Blvd, Suite 201				
	Torrance, CA 90504	ShipMate			
	310-370-3600 phone	Dangerous Goods			
	310-370-5700 fax	Training & Consulting			
	http://www.shipmate.com/				



Page 7 of 7

**CND-N-113** 

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.0

MSDS Revision Date: 07/15/2004

### **DEFINITION OF TERMS**

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

#### **GENERAL INFORMATION:**

CAS No.	Chemical Abstract Service Number
---------	----------------------------------

#### EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists	
TLV	Threshold Limit Value	
OSHA	J.S. Occupational Safety and Health Administration	
PEL	Permissible Exposure Limit	
IDLH	Immediately Dangerous to Life and Health	

#### FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person
	whose heart has stopped receives manual chest
	compressions and breathing to circulate blood and provide
	oxygen to the body.


HEALTH

#### HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

#### HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

Slight Hazard	FLAMMABILITY
Moderate Hazard	REACTIVITY
Severe Hazard	
Extreme Hazard	PERSONAL PROTECTION
	Moderate Hazard Severe Hazard

PERSONAL PROTECTION RATINGS:



#### **OTHER STANDARD ABBREVIATIONS:**

NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus


#### NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

#### FLAMMABILITY LIMITS IN AIR:

Autoignition	•					
Temperature	in air with no other source of ignition					
LEL	LEL Lower Explosive Limit - lowest percent of vapor in air, by					
	volume, that will explode or ignite in the presence of					
	an ignition source					
UEL	Upper Explosive Limit - highest percent of vapor in air,					
	by volume, that will explode or ignite in the presence of					
	an ignition source					

#### HAZARD RATINGS:

0	Minimal Hazard			
1	Slight Hazard			
2	Moderate Hazard Severe Hazard Extreme Hazard Acidic Alkaline Corrosive			
3				
4				
ACD				
ALK				
COR				
₩-	Use No Water			
ОХ	Oxidizer			



#### TOXICOLOGICAL INFORMATION:

LD <sub>50</sub>	Lethal Dose (solids & liquids) which kills 50% of the exposed animals s				
LC 50	Lethal concentration (gases) which kills 50% of the exposed animal				
ppm	Concentration expressed in parts of material per million parts				
TD <sub>io</sub>	Lowest dose to cause a symptom				
TCLo	Lowest concentration to cause a symptom				
TDio, LDio, & LDo Or	Lowest dose (or concentration) to cause lethal or				
TC, TC <sub>o</sub> , LC <sub>io</sub> , & LC <sub>o</sub>	toxic effects				
IARC	International Agency for Research on Cancer				
NTP	National Toxicology Program				
RTECS	CS Registry of Toxic Effects of Chemical Substances				
BCF	Bioconcentration Factor				
TLm	Median threshold limit				
log Kow or log Koc	Coefficient of Oil/Water Distribution				

#### **REGULATORY INFORMATION:**

WHMIS	Canadian Workplace Hazardous Material Information System				
DOT	U.S. Department of Transportation				
TC	Transport Canada				
EPA	U.S. Environmental Protection Agency				
DSL	Canadian Domestic Substance List				
NDSL	Canadian Non-Domestic Substance List				
PSL	Canadian Priority Substances List				
TSCA	U.S. Toxic Substance Control Act				
EU	European Union (European Union Directive 67/548/EEC)				
CPR	Canadian Controlled Product Regulations				

#### EC INFORMATION:

T.		N	¥	*	<b>*</b>	×	×
С	E	F	Ν	0	T+	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful