

Page 1 of 6

CND-N-084

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards				Ν	MSDS Revision: 2.0 MSDS Revision Date: 09/01/2003							
			1. PRO	DUCT	IDENT	IFIC	ATION					
1.1	Product Name:											
	CREATIVE SCENTS	ATIONS E	FFERVESC	ENT BA	TH FI	ZZIES	S					
1.2	Chemical Name: SODIUM CARBONATE MIXT	IIRF										
1.3	Synonyms:	UNE										
	CREATIVE SCENTSATIONS I CUCUMBER & ALOE, HONE				RASS, W	ILDFLC	OWER & C		LE, CRAN	IBERRY, C	OCONUT	& MANGO,
1.4	Trade Names: EFFERVESCENT BATH FIZZIES	5										
1.5	Product Use:											
	COSMETIC USE ONLY											
1.6	Distributor's Name: CREATIVE NAIL DESIGN, IN	C.										
1.7	Manufacturer's Address: 1125 JOSHUA WAY, VISTA,	CA 92081										
1.8	Emergency Phone:											
	ROCKY MOUNTAIN PO	DISON CON	ITROL CENT	ER:	1-30	3-623	3-5716					
1.9	Business Phone: 1-800-833-NAIL, 1-760-599	-2900										
		2. COI	MPOSITIO	N & IN	GRED	IENT		RMATIC	DN			
									SURE LIM	ITS IN AIR	(mg/m³)	
							AC			OSHA		OTHER
	CHEMICAL NAME(S)	CAS No.	EINECS No.	EC No		%	TLV	STEL	PEL	STEL	IDLH	
SODI	JM CARBONATE	497-19-8	205-633-8	207-838			ppm (15)	ppm NE	ppm (10)	ppm NE	ppm NE	
		77-92-9	201-069-1	207-030	< 35		NE	NE	NE	NE	NE	
	YLENE GLYCOL	57-55-6	200-338-0		≤ 1.0		INL	INL	INL	INL	INL	
	RANCE	57-55-6	200-000-0		≤ 1.0							
	R COMPONENTS PRESENT IN						THE REM					RIBUTE ANY
LESS T	HAN 1% CONCENTRATION					ANCE		SIGNIF		DITIONAL	HAZARD	S
	 Not Available; ND = Not De E: all WHMIS required inform 											ms Used
	•			•								
			3. HAZ	ARD II	DENTI	FIC	ATION					
3.1	Hazard Identification:											
3.2	Routes of Entry:		Inhalation:		NO	Ab	sorption:	1	10	Ingestion	1:	NO
3.3	Effects of Exposure:			I	-	1						
	SKIN & EYES: May be irritating to skin in some sensitive individuals, especially after prolonged contact.											
	SKIN & EYES: May be irritating to skin in some sensitive individuals, especially after prolonged contact. INHALATION: Inhalation is unlikely, however, vapors of this product may be slightly irritating to some sensitive individuals.											
3.4	3.4 Symptoms of Overexposure:											
	Symptoms of skin overexposure may include redness, itching, and irritation.											
3.5	Acute Health Effects:											
3.6	Redness, itching, and irrita Chronic Health Effects:	tion of skin at	the site of cor	ntact for s	ome se	nsitive	individuo	als.				
	No chronic health effects of	are known.										
3.7	Target Organs:											
	Skin											



Page 2 of 6

CND-N-084

Propared to OSUA	ACC ANSI		2001/58 EC Standards
Fiepaleu to OsliA,	ACC, ANJI,	VVI IIVII J Q	2001/30 LC Stanualus

MSDS Revision: 2.0

MSDS Revision Date: 09/01/2003

			4. FIRST AID M	ASURES				
4.1	First Aid: INGESTION: EYES & SKIN: INHALATION:	offer plenty of water or r Control at 1-303-623-5716 time and amount of the so In case of eye contact, flu to ensure thorough irrigati	e vomiting. Drink plenty of w nilk. Never give water or m 5 or the nearest Poison Contro ubstance that was swallowed ush with copious amounts of I ion. Consult a physician if pro red skin areas with plenty of w r at once.	ilk to an unco I Center or loc ukewarm wate oblem persists.	nscious pers al emergend r for at least lf redness, d	son. Contact Ro cy number. Provi 15 minutes. Rais dryness or other s	cky Mounta de an estimo e and lower igns of irritat	in Poison ate of the r eyelid(s) ion to the
4.2	Medical Condition	s Aggravated by Exposure:			HEAL	.TH		1
	None known.				FLAN	MABILITY		0
					REAC	CTIVITY		0
					PRO	ECTIVE EQU	IPMENT	
						1		
5.1	Flashpoint & Metho	od:	5. FIREFIGHTING	MEAJUKEJ	1			
	ND							
5.2	Autoignition Tempe	erature:						
5.3	Flammability Limits		Lower Explosive Limit (LEL):	NE	Upper	Explosive Limit (U	EL):	NE
5.4	Fire & Explosion Ha		eated before ignition can occ				RED = FLAM	
5.5	Extinguishing Meth			.01.			BLUE = HEAL YELLOW = R WHITE = SPE MEASURES	EACTIVITY
5.6	Firefighting Proced Wear protecti needed.		proved self-contained breat	hing apparatu	; if	\checkmark	0 = NO HAZ/ 1 = MINIMAL 2= SLIGHT H. 3 = MODERA 4 = SEVERE H	l hazard Azard Ate hazard
		k	ACCIDENTAL RELEA		IDES		-	
6.1	For small spill: and place in regulations. For spills ≥ 5 p	ng any spill, individuals invo s (e.g., < 5 pounds) wear (to appropriate closed co ounds, deny entry to all un	olved in spill cleanup must we appropriate personal protect ontainer(s) for disposal. Disp protected individuals. Conta y and wash affected skin are	ear appropriate ive equipment pose of prope in spill and tran	e Personal Pr (e.g., gogg rly in accor sfer product	les, gloves). Rer rdance with loco	nove spilled al, state and	d federal
7.1	Work & Hygiene Pr		ANDLING & STORAC		AIION			
	Avoid eye co	ntact.						
7.2		-	lated location. Do not store use.	in damaged o	r unmarked	containers or st	orage devic	es. Keep
7.3	Special Precaution Spilled materi		nazard if left unattended. Cle	an all spills pro	mptly.			



Page 3 of 6

CND-N-084

	NATE DISIGN		1		
Prep	pared to OSHA, ACC, ANSI, WH	AIS & 2001/58 EC Standards	MSDS Revision: 2.0	MSDS Revision Date: 0	9/01/200
	8.	EXPOSURE CONTROL	S & PERSONAL PROTE	CTION	
8.1	Ventilation & Engineering Controls:				
0.1		ns) or natural ventilation is sufficie	ent when this product is in use		
8.2	Respiratory Protection:				
0.2	None required if used in a we	II-ventilated area			
8.3	Eve Protection:	-veninaled died.			
0.0	None required under normal	conditions of use			
8.4	Hand Protection:				
0.4	None required under normal	conditions of use			
8.5	Body Protection:				
0.0	None required under normal	conditions of use			
	None required onder normal				
		9. PHYSICAL & CI	HEMICAL PROPERTIES		
9.1	Density:	NE			
9.2	Boiling Point:	NE			
9.3	Melting Point:	NE			
9.4	Evaporation Rate:	NE			
9.5	Vapor Pressure:	NE			
9.6	Molecular Weight:	NE			
9.7	Appearance & Color:	Effervescent tablets, various o	olors & fragrances		
9.8	Odor Threshold:	NE			
9.9	Solubility:	Soluble			
9.10	рН	NA			
9.11	Viscosity:	NA			
9.12	Other Information:	Vapor density (air=1): > 1			
		10. STABILIT	Y & REACTIVITY		
10.1	Stability:	Stable under ambient condition	ons.		
10.2	Hazardous Decomposition Products:	NA			
10.3	Hazardous Polymerization:	Will not occur.			
10.4	Conditions to Avoid:		contrat with extreme terms	eveluives energies flamess ev ins	
10.4		materials.	contact with extreme temp	eratures, sparks, flames or inc	ompanoi
10.5	Incompatible Substances:	Strong oxidizers.			
	Table Date				
11.1	Toxicity Data:		oduct, which are found in the	cological data. There are toxico scientific literature. These dato	• ·
11.2	Acute Toxicity:	See Section 3.5			
11.3	Chronic Toxicity:	No long term health effects a	re known.		
11.4	Suspected Carcinogen:	This product is not reported to	be a suspected carcinogen.		
11.5	Reproductive Toxicity:	This product is not reported to	be a reproductive toxin.		
	Mutagenicity:	This product is not reported to	produce mutagenic effects in	humans.	
	Embryotoxicity:		produce embryotoxic effects		
			produce teratogenic effects i		
	Teratogenicity:	This product is not reported to	produces in a generation in		
	Teratogenicity: Reproductive Toxicity:		produce reproductive effects		
11.6					
11.6 11.7	Reproductive Toxicity:	This product is not reported to			

C

-			1				
Prep	ared to OSHA, ACC	C, ANSI, WHMIS & 2001/58 EC Standards	MSDS Revision: 2.0	MSDS Revision Date	e: 09/01/2003		
		12. ECOLOGICA	L INFORMATION				
12.1	Environmental Stability:	This product will slowly volatize from compounds.	soil. Components of this pr	roduct will slowly decom	pose into organic		
12.2	Effects on Plants & Anim		or this product.				
12.3	Effects on Aquatic Life:	Releases of large volumes may be t components of this product are ava			ic toxicity data for		
		13. DISPOSAL CO	ONSIDERATIONS				
13.1	Waste Disposal:	unt be in accordance with an available Federal					
13.2	Special Considerations:	ust be in accordance with appropriate Federal,	state, and local regulations	ö.			
13.2	None.						
		14. TRANSPORTATIO	ON INFORMATION				
		proper shipping name, hazard class & division, I			of transportation.		
		nformation may be required by 49 CFR, IATA/IC	AO, IMDG and the CIDGR.				
14.1	49 CFR (GND): NOT REGULATED						
14.2	IATA (AIR):						
	NOT REGULATED						
14.3	IMDG (OCN):						
	NOT REGULATED						
14.4	TDGR (Canadian GND):	:					
	NOT REGULATED						
		15. REGULATORY	(INFORMATION		_		
15.1	SARA Reporting Require	ments:					
	Not applicable.						
15.2	SARA Threshold Planning	g Quantity:					
15.3	Not applicable. TSCA Inventory Status:	<u> </u>					
15.5		f this product are listed in the TSCA Inventory.					
15.4							
	There are no Reportable Quantities for any of the components of this product.						
15.5							
	Not applicable.						
15.6	5						
	This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.						
15.7	State Regulatory Inform	lation:					
	NA						
15.8	67/548/EEC (European L						
	as Irritant (Xi). R:	ponent of this product is listed in Annex I of EU I 36 -Irritating to the eyes. S: 22, 26 - Do not bre s, rinse immediately with plenty of water and see	athe dust; In case of				



Page 5 of 6

CND-N-084

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards

MSDS Revision: 2.0

MSDS Revision Date: 09/01/2003

	16. OTHER INFORMATION						
16.1	Other Information:						
	Use only as directed. Discontinue use im	mediately if irritation develops. Do not taste or swallow.					
16.2	Terms & Definitions:						
	See page 6 of this MSDS.						
16.3	Disclaimer:						
	This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Creative Nail Design's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.						
16.4	Prepared for: Creative Nail Design, Inc. 1125 Joshua Way Vista, CA 92081 800-833-NAIL (6245) phone 760-599-4005 fax http://www.creativenaildesign.com/						
16.5	Prepared by: ShipMate, Inc. 18436 Hawthorne Boulevard, Suite 201 Torrance, CA 90504 310-370-3600 phone 310-370-5700 fax http://www.shipmate.com/	ShipMate Dargerous Good Trailing & Consulting					



Page 6 of 6

CND-N-084

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards

MSDS Revision Date: 09/01/2003

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No. Chemical Abstract Service Number

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists				
TLV	TLV Threshold Limit Value				
OSHA	OSHA U.S. Occupational Safety and Health Administration				
PEL	PEL Permissible Exposure Limit				
IDLH Immediately Dangerous to Life and Health					

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person				
	whose heart has stopped receives manual chest				
	compressions and breathing to circulate blood and provide				
	oxygen to the body.				

HEALTH

FLAMMABILITY

REACTIVITY PERSONAL PROTECTION

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard			
1	Slight Hazard			
2	Moderate Hazard			
3	3 Severe Hazard			
4 Extreme Hazard				

PERSONAL PROTECTION RATINGS:

Α	$\dot{\phi}$				G	Ş	\$	~~	
в	ϕ	Ş			н	€	\$		~
С	þ	\$	~		I	$\dot{\phi}$	\$	X	
D		Ş	~		J	₽	\$		¥
Е	þ	\$			κ		\$	⋪	L
F	$\hat{\mathbf{v}}$	\$	~ *		x			ervisor or lling direc	
						~			
			6	2		(PP)		13	
	Ser.				-	لليك م			2
	afety Glasse	~	Splash C	Congles		e Shield & Protection		Glov	
30	liely Glasse	22	spiasnie	oggies	Eye	rotection		GIOV	es
	a					/		$\boldsymbol{\omega}$	2
			~r		Λ				
	Boots		Synthetic Apron		Full Suit			Dust Respirator	
						B		<u>Ş</u>	
			O¥0		9 7 6			1	
	Vapor Respirator		Dust & Vapor		Full Face		Α	Airline Hood/Mask	
Va	por kespira	itor	Respi	rator	Re	spirator		or SC	ва
	()		equipmer	dotted circ nt is requir pills or relea	ed for	high con			

OTHER STANDARD ABBREVIATIONS:


NA	Not Available		
NR No Results			
NE	Not Established		
ND	Not Determined		
ML	Maximum Limit		
SCBA	Self-Contained Breathing Apparatus		

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:

MSDS Revision: 2.0

Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source



HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard

ACD	Acidic
ALK	Alkaline
COR	Corrosive
₩-	Use No Water
ОХ	Oxidizer

TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals s
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD _{lo}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TDio, LDio, & LDo Or	Lowest dose (or concentration) to cause lethal or
TC, TCo, LCIO, & LCo	toxic effects
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TLm	Median threshold limit
log Kow or log Koc	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System
DOT	U.S. Department of Transportation
TC	Transport Canada
EPA	U.S. Environmental Protection Agency
DSL	Canadian Domestic Substance List
NDSL	Canadian Non-Domestic Substance List
PSL	Canadian Priority Substances List
TSCA	U.S. Toxic Substance Control Act
EU	European Union (European Union Directive 67/548/EEC)